ELSEVIER

Neuroscience Letters 304 (2001) 211–214

Neuroscience Letters

www.elsevier.com/locate/neulet

Author Index to Volume 304

Abe, M., see Yamazaki, M., 81
Affaitati, G., see Giamberardino, M.A., 61
Agena, J., see Ishiyama, A., 93
Aït-Oubah, J., see Armengaud, C., 97
Alvarez-Arcaya, A., Combarros, O., Llorca, J., Sánchez-Guerra, M., Berciano, J., Fernández-Luna, J.L., The −491 TT apolipoprotein E promoter polymorphism is associated with reduced risk for sporadic Alzheimer's disease, 204
Ances, B.M., Greenberg, J.H., Detre, J.A., Sex differences in the cerebral blood flow response after brief hypercapnia in the rat, 57
Aou, S., see Kubo, K., 73
Arai, O., see Kubo, K., 73
Arakawa, Y., see Nakamura, Y., 5
Armengaud, C., Aït-Oubah, J., Causse, N., Gauthier, M., Nicotinic acetylcholine receptor ligands differently affect cytochrome oxidase in the Honeybee brain, 97
Asai, K., see Nakanishi, K., 85
Aziz, T.Z., see Liu, X., 25

Barshatzky, M., see Mehta, P.D., 102
Baudry., see Jung, C., 157
Beato, M., see Marchetti, C., 77
Berciano, J., see Alvarez-Arcaya, A., 204
Bringmann, G., Münchbach, M., Feineis, D., Faulhaber, K., Ihmels, H., Studies on single-strand scissions to cell-free plasmid DNA by the dopaminergic neurotoxin 'TaClo' (1-trichloromethyl-1,2,3,4-tetrahydro-β-carboline), 41
Butler, P., Gardiner, J.C., Loftus, J.P., Karran, E., Roffey, S.J., Gupta, P., Pryke, J.G., A comparison of the effects of lamotrigine on neuroma-induced action potential firing and normal behaviour in rat: implications for establishing a pre-clinical 'therapeutic index', 13

Camón, L., see Vivó, M., 107
Causse, N., see Armengaud, C., 97
Clarke, R.W., Wych, B.E., Harris, J., Adaptive changes in withdrawal reflexes after noxious stimulation at the heel and the toes in the decerebrated rabbit, 119
Combarros, O., see Alvarez-Arcaya, A., 204
Cortés, R., see Vivó, M., 107
Crowder, N.A., Wylie. D.R.W., Fast and slow neurons in the nucleus of the basal optic root in pigeons, 133

Daniel, H., see Groneberg, D.A., 181
Darbin, O., see Lonjon, M., 21
De Laurentis, S., see Giamberardino, M.A., 61
de Vera, N., see Vivó, M., 107
Delpierre, S., see Gainnier, M., 45
Detre, J.A., see Ances, B.M., 57
Doctrow, S., see Jung, C., 157
Döring, F., see Groneberg, D.A., 181

Ebert, D., see Hesslinger, B., 116
Eto, K., see Usuki, F., 199

Faulhaber, K., see Bringmann, G., 41
Feineis, D., see Bringmann, G., 41
Fernández-Luna, J.L., see Alvarez-Arcaya, A., 204
Ferrer-Alcón, M., see Jaquet, P.E., 37
Ferriero, D.M., see Sheldon, R.A., 165
Fiaschi, A., see Manganotti, P., 153
Fischer, A., Groneberg, D.A, F., 181
Fontanari, P., see Gainnier, M., 45
Fuchs, P.N., see LaBuda, C.J., 137
Fujii, T., see Matsumura, N., 122
Fujiki, N., see Morita, H., 33
Fukata, J., see Yagi, F., 53
Fukaya, M., see Yamazaki, M., 81

Gainnier, M., Michel, F., Fontanari, P., Delpierre, S., Jammes, Y., Exercise-induced inflammatory reaction affects electromyographic changes in skeletal muscle during dynamic contractions in humans, 45
García-Sevilla, J.A., see Jaquet, P.E., 37
Gardiner, J.C., see Butler, P., 13
Gauthier, M., see Armengaud, C., 97
Giamberardino, M.A., De Laurentis, S., Affaitati, G., Lerza, R., Lapenna, D., Vecchiet, L., Modulation of pain and hyperalgesia from the urinary tract by algogenic conditions of the reproductive organs in women, 61
Greenberg, J.H., see Ances, B.M., 57
Groneberg, D.A., Döring, F., Nickolaus, M., Daniel, H., Fischer, A., Expression of PEPT2 peptide transporter mRNA and protein in glial cells of rat dorsal root ganglia, 181
Guimón, J., see Jaquet, P.E., 37
Gupta, P., see Butler, P., 13

Hajós, M., Hoffmann, W.E., Tetko, I.V., Hyland, B., Sharp, T., Villa, A.E.P., Different tonic regulation of neuronal activity in the rat dorsal raphe and medial prefrontal cortex via 5-HT_{1A} receptors, 129
Hall, J.J., see Sheldon, R.A., 165
Haluzík, M., see Nedvídková, J., 194
Harris, J., see Clarke, R.W., 119
Hashioka, S., see Monji, A., 65
Hellwig, B., see Kassubek, J., 17
Hennig, J., see Hesslinger, B., 116
Hesslinger, B., Thiel, T., Tebartz van Elst, L., Hennig, J., Ebert, D., Attention-deficit disorder in adults with or without hyperactivity: where is the difference? A study in humans using short echo ^{1}H-magnetic resonance spectroscopy, 116
Higuchi, I., see Usuki, F., 199

PII: S0304-3940(01)01846-8

Hirasawa, K., see Homma, I., 1
Hishikawa, K., see Matsumura, N., 122
Hoffmann, W.E., see Hajós, M., 129
Homma, I., Masaoka, Y., Hirasawa, K., Yamane, F., Hori, T., Okamoto, Y., Comparison of source localization of interictal epileptic spike potentials in patients estimated by the dipole tracing method with the focus directly recorded by the depth electrodes, 1
Hori, T., see Homma, I., 1
Hori, T., see Kubo, K., 73
Huang, W., see Thörnwall-Le Grevès, M., 69
Hyland, B., see Hajós, M., 129

Ihmels, H., see Bringmann, G., 41
Ikeda, J., see Li, J., 29
Ikeda, Y., see Yagi, F., 53
Ikeno, K., see Yamazaki, M., 81
Ishiura, S., see Usuki, F., 199
Ishiyama, A., Agena, J., Lopez, I., Tang, Y., Unbiased stereological quantification of neurons in the human spiral ganglion, 93
Ito, E., see Ito, I., 145
Ito, I., Kimura, T., Ito, E., Odor responses and spontaneous oscillatory activity in tentacular nerves of the terrestrial slug, *Limax marginatus*, 145
Iwata, K., see Kanda, K., 49
Iwatsubo, T., see Mann, D.M.A., 161

Jammes, Y., see Gainnier, M., 45
Jaquet, P.E., Ferrer-Alcón, M., Ventayol, P., Guimón, J., García-Sevilla, J.A., Acute and chronic effects of morphine and naloxone on the phosphorylation of neurofilament-H proteins in the rat brain, 37
Jimbo, Y., see Kasai, N., 112
Juengling, F.D., see Kassubek, J., 17
Jung, C., Rong, Y., Doctrow, S., Baudry, M., Malfroy, B., Xu, Z., Synthetic superoxide dismutase/catalase mimetics reduce oxidative stress and prolong survival in a mouse amyotrophic lateral sclerosis model, 157

Kadota, H., see Miyazaki, M., 173
Kakizaki, T., see Yamazaki, M., 81
Kanda, K., Sato, H., Kemuriyama, T., Iwata, K., Temporal facilitation of the flexor reflex induced by C-fiber activity: comparison between adult and aged rats, 49
Karran, E., see Butler, P., 13
Kasai, N., Jimbo, Y., Niwa, O., Matsue, T., Torimitsu, K., Real-time multisite observation of glutamate release in rat hippocampal slices, 112
Kassubek, J., Juengling, F.D., Hellwig, B., Knauff, M., Spreer, J., Lücking, C.H., Hypermetabolism in the ventrolateral thalamus in unilateral Parkinsonian resting tremor: a positron emission tomography study, 17
Kato, K., see Li, J., 29
Kato, T., see Nakanishi, K., 85
Kemuriyama, T., see Kanda, K., 49
Kimura, T., see Ito, I. 145
Knauff, M., see Kassubek, J., 17
Kowa, H., see Mann, D.M.A., 161
Kubo, K., Arai, O., Ogata, R., Omura, M., Hori, T., Aou, S., Exposure to bisphenol A during the fetal and suckling periods disrupts sexual differentiation of the locus coeruleus and of behavior in the rat, 73
Kudo, K., see Miyazaki, M., 173
Kukita, F., see Nakanishi, K., 85
Kurazono, S., Okamoto, M., Mori, S., Matsui, H., Recombinant core protein fragment of phosphacan, a brain specific chondroitin sulfate proteoglycan, promote excitotoxic cell death of cultured rat hippocampal neurons, 169

LaBuda, C.J., Fuchs, P.N., Low dose aspirin attenuates escape/avoidance behavior, but does not reduce mechanical hyperalgesia in a rodent model of inflammatory pain, 137
Lagerholm, S., see Thörnwall-Le Grevès, M., 69
Lapenna, D., see Giamberardino, M.A., 61
Le Grevès, P., see Thörnwall-Le Grevès, M., 69
Le Maire., see Qu, H., 141
Lee, S.-C., Schwarcz, R., Excitotoxic injury stimulates pro-drug-induced 7-chlorokynurenate formation in the rat striatum in vivo, 185
Lerza, R., see Giamberardino, M.A., 61
Li, J., Kato, K., Ikeda, J., Morita, I., Murota, S.-i., A narrow window for rescuing cells by the inhibition of calcium influx and the importance of influx route in rat cortical neuronal cell death induced by glutamate, 29
Liu, X., Österbauer, R., Aziz, T.Z., Miall, R.C., Stein, J.F., Increased response to visual feedback of drug-induced dyskinetic movements in advanced Parkinson's disease, 25
Llorca, J., see Alvarez-Arcaya, A., 204
Loftus, J.P., see Butler, P., 13
Lonjon, M., Risso, J.J., Palmier, B., Negrin, J., Darbin, O., Effects of hypothermic deep-anaesthesia on energy metabolism at brain and peripheral levels: a multi-probe microdialysis study in free-moving rat, 21
Lopez, I., see Ishiyama, A., 93
Lücking, C.H., see Kassubek, J., 17

Ma, W., see O'Connor, S.M., 189
Malfroy, B., see Jung, C., 157
Manganotti, P., Palermo, A., Patuzzo, S., Zanette, G., Fiaschi, A., Decrease in motor cortical excitability in human subjects after sleep deprivation, 153
Mann, D.M.A., McDonagh, A.M., Pickering-Brown, S.M., Kowa, H., Iwatsubo, T., Amyloid β protein deposition in patients with frontotemporal lobar degeneration: relationship to age and apolipoprotein E genotype, 161
Marchetti, C., Beato, M., Nistri, A., Evidence for increased extracellular K^+ as an important mechanism for dorsal root induced alternating rhythmic activity in the neonatal rat spinal cord in vitro, 77
Martínez, E., see Vivó, M., 107
Masani, K., see Miyazaki, M., 173
Masaoka, Y., see Homma, I., 1
Matsue, T., see Kasai, N., 112
Matsui, H., see Kurazono, S., 169
Matsumoto, M., see Usuki, F., 199
Matsumura, N., Takeuchi, C., Hishikawa, K., Fujii, T., Nakaki, T., Glufosinate ammonium induces convulsion through *N*-methyl-D-aspartate receptors in mice, 122
McDonagh, A.M., see Mann, D.M.A., 161
Mehta, P.D., Pirttila, T., Patrick, B.A., Barshatzky, M., Mehta, S.P., Amyloid β protein 1–40 and 1–42 levels in matched cerebrospinal fluid and plasma from patients with Alzheimer disease, 102
Mehta, S.P., see Mehta, P.D., 102
Mengod, G., see Vivó, M., 107
Miall, R.C., see Liu, X., 25
Michel, F., see Gainnier, M., 45
Miyahara, T., see Morita, H., 33
Miyazaki, M., Kadota, H., Kudo, K., Masani, K., Ohtsuki, T., Fractal

correlation of initial trajectory dynamics vanishes at the movement end point in human rapid goal-directed movements, 173
Mohammed, H.A., Santer, R.M., Total neuronal numbers of rat lumbosacral primary afferent neurons do not change with age, 149
Monji, A., Utsumi, H., Yoshida, I., Hashioka, S., Tashiro, K.-i., Tashiro, N., The relationship between Aβ-associated free radical generation and Aβ fibril formation revealed by negative stain electron microscopy and thioflavine-T fluorometric assay, 65
Mori, S., see Kurazono, S., 169
Morita, H., Tsuchiya, Y., Miyahara, T., Tanaka, K., Fujiki, N., Acute response of aortic nerve activity to free drop-induced microgravity in anesthetized rats, 33
Morita, I., see Li, J., 29
Münchbach, M., see Bringmann, G., 41
Murota, S.-i., see Li, J., 29

Nakaki, T., see Matsumura, N., 122
Nakamura, Y., Shimizu, H., Nishijima, C., Ueno, M., Arakawa, Y., Delayed functional recovery by vincristine after sciatic nerve crush injury: a mouse model of vincristine neurotoxicity, 5
Nakanishi, K., Kukita, F., Asai, K., Kato, T., Recurrent subthreshold electrical activities of rat neocortical neurons progress during long-term culture, 85
Nedvídek, J., see Nedvídková, J., 194
Nedvídková, J., Pacák, K., Haluzík, M., Nedvídek, J., Schreiber, V., The role of dopamine in methylene blue-mediated inhibition of estradiol benzoate-induced anterior pituitary hyperplasia in rats, 194
Negrin, J., see Lonjon, M., 21
Nickolaus, M., see Groneberg, D.A., 181
Nishijima, C., see Nakamura, Y., 5
Nistri, A., see Marchetti, C., 77
Niwa, O., see Kasai, N., 112
Noble, L.J., see Sheldon, R.A., 165
Nudmamud, S., Reynolds, G.P., Increased density of glutamate/*N*-methyl-D-aspartate receptors in superior temporal cortex in schizophrenia, 9
Nyberg, F., see Thörnwall-Le Grevès, M., 69

O'Connor, S.M., Stenger, D.A., Shaffer, K.M., Ma, W., Survival and neurite outgrowth of rat cortical neurons in three-dimensional agarose and collagen gel matrices, 189
Ogata, R., see Kubo, K., 73
Ohtsuki, T., see Miyazaki, M., 173
Okamoto, M., see Kurazono, S., 169
Okamoto, Y., see Homma, I., 1
Okutani, F., see Yagi, F., 53
Omura, M., see Kubo, K., 73
Österbauer, R., see Liu, X., 25
Pacák, K., see Nedvídková, J., 194

Palermo, A., see Manganotti, P., 153
Palmier, B., see Lonjon, M., 21
Patrick, B.A., see Mehta, P.D., 102
Patuzzo, S., see Manganotti, P., 153
Pickering-Brown, S.M., see Mann, D.M.A., 161
Pirttila, T., see Mehta, P.D., 102
Pryke, J.G., see Butler, P., 13

Qu, H., van der Gaag, M., Le Maire, T., Sonnewald, U., The effect of thiopental on glutamate metabolism in mouse cerebellar astrocytes in vitro, 141

Ramos, J.M.J., Hippocampal damage in rats disrupts decrements in the processing of an intramaze landmark in a spatial task, 89
Reynolds, G.P., see Nudmamud, S., 9
Risso, J.J., see Lonjon, M., 21
Roffey, S.J., see Butler, P., 13
Rong, Y., see Jung, C., 157

Sakai, M., see Yagi, F., 53
Sakimura, K., see Yamazaki, M., 81
Sánchez-Guerra, M., see Alvarez-Arcaya, A., 204
Santer, R.M., see Mohammed, H.A., 149
Sato, H., see Kanda, K., 49
Schreiber, V., see Nedvídková, J., 194
Schwarcz, R., see Lee, S.-C., 185
Shaffer, K.M., see O'Connor, S.M., 189
Sharp, T., see Hajós, M., 129
Sheldon, R.A., Hall, J.J., Noble, L.J., Ferriero, D.M., Delayed cell death in neonatal mouse hippocampus from hypoxia-ischemia is neither apoptotic nor necrotic, 165
Shimizu, H., see Nakamura, Y., 5
Sonnewald, E., see Qu, H., 141
Spreer, J., see Kassubek, J., 17
Stein, J.F., see Liu, X., 25
Stenger, D.A., see O'Connor, S.M., 189

Takahashi, S., see Yagi, F., 53
Takeuchi, C., see Matsumura, N., 122
Tanaka, K., see Morita, H., 33
Tang, Y., see Ishiyama, A., 93
Tao, P.-L., see Wang, J.-Y., 177
Tashiro, K.-i., see Monji, A., 65
Tashiro, N., see Monji, A., 65
Tebartz van Elst, L., see Hesslinger, B., 116
Tetko, I.V., see Hajós, M., 129
Thiel, T., see Hesslinger, B., 116
Thörnwall-Le Grevès, M., Zhou, Q., Lagerholm, S., Huang, W., Le Grevès, P., Nyberg, F., Morphine decreases the levels of the gene transcripts of growth hormone receptor and growth hormone binding protein in the male rat hippocampus and spinal cord, 69
Tokunaga, H., see Usuki, F., 199
Torimitsu, K., see Kasai, N., 112
Tsuchiya, Y., see Morita, H., 33

Ueno, M., see Nakamura, Y., 5
Umehara, F., see Usuki, F., 199
Usuki, F., Yasutake, A., Umehara, F., Tokunaga, H., Matsumoto, M., Eto, K., Ishiura, S., Higuchi, I., In vivo protection of a water-soluble derivative of vitamin E, Trolox, against methylmercury-intoxication in the rat, 199
Utsumi, H., see Monji, A., 65

van der Gaag, M., see Qu, H., 141
Vecchiet, L., see Giamberardino, M.A., 61
Ventayol, P., see Jaquet, P.E., 37
Villa, A.E.P., see Hajós, M., 129
Vivó, M., de Vera, N., Cortés, R., Mengod, G., Camón, L., Martínez, E., Polyamines in the basal ganglia of human brain. Influence of aging and degenerative movement disorders, 107

Wang, J.-Y., see Wang, J.-Y., 177
Wang, J.-Y., Yang, J.-M., Wang, J.-Y., Tao, P.-L., Yang, S.N., Synergistic

apoptosis induced by bacterial endotoxin lipopolysaccharide and high glucose in rat microglia, 177
Watanabe, M., see Yamazaki, M., 81
Wych, B.E., see Clarke, R.W., 119
Wylie. D.R.W., see Crowder, N.A., 133

Xu, Z., see Jung, C., 157

Yagi, F., Sakai, M., Ikeda, Y., Okutani, F., Takahashi, S., Fukata, J., Reorganization of the uncrossed visual pathways as revealed by Fos-like immunoreactivity in rats with neonatal monocular enucleation, 53
Yamane, F., see Homma, I., 1
Yamazaki, M., Fukaya, M., Abe, M., Ikeno, K., Kakizaki, T., Watanabe, M., Sakimura, K., Differential palmitoylation of two mouse glutamate receptor interacting protein 1 forms with different N-terminal sequences, 81
Yang, J.-M., see Wang, J.-Y., 177
Yang, S.N., see Wang, J.-Y., 177
Yasutake, A., see Usuki, F., 199
Yoshida, I., see Monji, A., 65

Zanette, G., see Manganotti, P., 153
Zhou, Q., see Thörnwall-Le Grevès, M., 69